

FORM PTO-1390 (REV. 11-2000)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER 33805
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371			U.S. APPLICATION NO. (if known, see 37 CFR 1.5) 09/889258
INTERNATIONAL APPLICATION NO. PCT/JP00/08027	INTERNATIONAL FILING DATE 14 November 2000 (14.11.00)	PRIORITY DATE CLAIMED 15 November 1999 (15.11.99)	
TITLE OF INVENTION Video Retrieval Method and Video Retrieval Apparatus			
APPLICANT(S) FOR DO/EO/US YASHIO, Hitoshi; TAMURA, Mitsuo; ASAI, Kayoko; SATO, Makoto; and HAYAKAWA, Yoshihiro.			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below. 4. <input type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31). 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ol style="list-style-type: none"> a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau). b. <input checked="" type="checkbox"/> has been communicated by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input checked="" type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is attached hereto. b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau). b. <input type="checkbox"/> have been communicated by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 			
Items 11 to 20 below concern document(s) or information included:			
<ol style="list-style-type: none"> 11. <input checked="" type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input type="checkbox"/> A FIRST preliminary amendment. 14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 15. <input type="checkbox"/> A substitute specification. 16. <input type="checkbox"/> A change of power of attorney and/or address letter. 17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825. 18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4). 19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 20. <input checked="" type="checkbox"/> Other items or information: International Search Report Return Receipt Postcard Express Mail Certificate 			

U.S. APPLICATION NO. 09/889258		INTERNATIONAL APPLICATION NO. PCT/JP00/08027		ATTORNEY'S DOCKET NUMBER 33805	
---------------------------------------	--	--	--	--	--

21. <input checked="" type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO. \$1000.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$860.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$690.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT =				CALCULATIONS PTO USE ONLY	
				\$ 860.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input checked="" type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$ 130.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$ -----	
Total claims	7 - 20 =	0	x \$18.00	\$ -----	
Independent claims	3 - 3 =	0	x \$80.00	\$ -----	
MULTIPLE DEPENDENT CLAIM(S) (if applicable) 1				+ \$270.00	
TOTAL OF ABOVE CALCULATIONS =				\$ 1260.00	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				+ \$ -----	
SUBTOTAL =				\$ 1260.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$ -----	
TOTAL NATIONAL FEE =				\$ 1260.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$ -----	
TOTAL FEES ENCLOSED =				\$ 1260.00	
				Amount to be refunded:	\$ -----
				charged:	\$ -----

a. ☒ A check in the amount of \$ 1260.00 to cover the above fees is enclosed.

b. ☐ Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees.
 A duplicate copy of this sheet is enclosed.


c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any
 overpayment to Deposit Account No. 16-0820. A duplicate copy of this sheet is enclosed.
 Order No. 33805

d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card
 information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR
 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO

Customer No. 000,116


 SIGNATURE
 Michael W. Garvey
 NAME
 35878
 REGISTRATION NUMBER

12/PR15

09/889258
JC18 Rec'd PCT/PTO 13 JUL 2001

Description

<Title of the Invention>

Video retrieval method and video retrieval apparatus

5 <Technical Field>

The present invention relates a retrieval method for retrieving a desired picture from among a great number of recorded pictures and corresponding video retrieval apparatus, and in particular to a video retrieval method that enables efficient retrieval of pictures and apparatus for implementing the method.

<Background of the Invention>

A broadcast station stores a great number of video materials. Creation of a program requires means for efficiently retrieve materials to be used from among these video materials.

15 A related art video retrieval system comprises, as shown in Fig. 11, a registration terminal 10 for registering video materials from a VTR, a tape cart 50 for storing registered video materials, a hard disk 30 for storing thumbnail moving images reduced for retrieval, a video server 20 for performing video
20 retrieval, a retrieval terminal 40 that a retriever operates, a monitor 60 for displaying the picture on a retrieved tape.

Fig. 12 shows the system in functional blocks. The registration terminal 10 comprises a registration section 11 for performing registration of video materials and a reduced
25 moving image generator 12 for generating thumbnail moving images

of video materials. The retrieval terminal 40 comprises an operation section 41 for the retriever to enter a keyword, a retrieval display 43 for displaying a moving image list for retrieval, and a retrieval controller 42 for instructing
5 retrieval based on an input from the operation section 41. The video server 20 comprises a keyword search section 21 for retrieving moving thumbnail images via keywords and a stream synthesizer 22 for synthesizing stream data from retrieved thumbnail images. The hard disk that stores thumbnail moving
10 images is shown as a retrieved moving image recorder 30 and the tape cart that stores video materials as a video material recorder 50. A hard disk or a magneto-optical disk may be used instead of a tape cart.

The registration section 11 of the system generates
15 thumbnail moving images used for display of a moving image list via the reduced moving image generator 12 when it stores video materials recorded in gathering materials in the video material recorder 50. The registration section 11 then stores the thumbnail moving images in relation to video materials together
20 with keyword search data in the retrieved moving image recorder 30. The keyword search data may be a title, date of broadcast, genre and/or a cast.

When the retriever enters a keyword from the operation section 41, the keyword search section 21 retrieves all the
25 thumbnail moving images with the corresponding keyword attached

from the retrieved moving image recorder 30. A plurality of moving images thus retrieved are synthesized into moving image list stream data via the stream synthesizer 22 and sent to the retrieval display 43 and displayed on the retrieval display.

5 The display screen is shown in Fig. 5.

The retriever can directly check video materials as results of retrieval. When the retriever selects video materials from a plurality of moving images displayed, a request to display the video materials is sent from the retrieval controller 42 to the video material recorder 50 and the specified video materials are regenerated on a monitor.

10 It is, however, substantially cumbersome to correctly pick up target video materials from among a great number of reduced moving images. While 64 reduced moving images are displayed on the screen in Fig. 5, more than 64 moving images are sometimes retrieved during keyword search. In this case, similar screens are displayed one after another via the operation of selection of next page on the screen. The more the number of moving images is, the more difficult it is to pick up target video materials and thus more errors occurs.

20 An error in the selection of video materials is not noticed until the video materials are regenerated on the monitor. When the retriever has noticed such an error, he/she must retrieve thumbnail moving images again, thus substantially delaying the video material selection work.

The invention solves such problems and aims at providing a video retrieval method that enables efficient retrieval of moving images and apparatus for implementing the method.

<Disclosure of the Invention>

5 Video retrieval apparatus according to the invention for retrieving a target scene from a plurality of images comprises list moving images display means for displaying a list of a plurality of pictures and a time-division image display means for displaying pictures selected from among listed pictures.

10 A video retrieval method according to the invention lists a plurality of pictures and displays time-division moving pictures of the pictures selected from among the plurality of pictures.

15 More particularly, when an arbitrary image is selected from a screen where a plurality of encoded pictures are listed, (1) As shown in Fig. 2(a),

20 the selected encoded picture undergoes time-division processing (normally uniformly divided in certain intervals on the time axis) and each of the divided pictures is regenerated repeatedly from the beginning to the end. In the meantime, divided pictures are regenerated via synthesis regeneration or image synthesis regeneration to synthesize the divided pictures on a single screen, or

25 (2) As shown in Fig. 2(b), several different times are selected on the time axis of

the selected encoded picture (normally every certain interval on the time axis) and each picture having the different times as regeneration start times are regenerated from the beginning on a single screen via image synthesis regeneration (called
5 regeneration start time shift regeneration), or

(3) As shown in Fig. 2(d),

switching points of scenes in the selected encoded picture are detected and division of the encoded picture is made based on the detected scene switching points. Each of the divided
10 pictures is regenerated repeatedly from the beginning to the end via image synthesis regeneration (called cut point switching regeneration), or

(4) As shown in Fig. 2(c),

pictures selected from groups of images that have undergone
15 image synthesis regeneration under each of (1) through (3) are divided again and simultaneously regenerated and displayed in divided pictures on a single screen (a sequence from respective picture division to image synthesis regeneration is repeated), or

20 (5) In case a plurality of encoded pictures are selected under each of (1) through (4), those divided moving pictures are simultaneously regenerated and displayed in divided pictures on a single screen.

According to the invention, pictures for retrieval are
25 not only selected and displayed but the pictures are analyzed

and processed before displayed so that target scenes may be efficiently found. As a result, it is possible to efficiently retrieve pictures.

5 <Brief Description of the Drawings>

Fig. 1 is a block diagram showing the configuration of video retrieval apparatus according to a first embodiment.

Fig. 2 shows the state of time-division regeneration of a video stream.

10 Fig. 3 is a block diagram showing the configuration of video retrieval apparatus according to a second embodiment.

Fig. 4 is a block diagram showing the configuration of video retrieval apparatus according to a third embodiment.

15 Fig. 5 shows an example of displaying a moving image list (64 windows).

Fig. 6 shows an example of displaying a digest moving image of a moving image list (64 windows).

Fig. 7 shows an example of a screen displaying a time-division image.

20 Fig. 8 shows an example of a screen displaying multiple time-division images.

Fig. 9 shows an application example of the third embodiment.

25 Fig. 10 illustrates an operation screen for variable speed regeneration.

Fig. 11 shows a configuration of a related art video archive system.

Fig. 12 is a block diagram showing related art video retrieval apparatus.

5 In the figures, a numeral 10 represents a registration terminal, 11 a registration section 12 a reduced moving image generator, 20 a video server, 21 a keyword search section, 22 a stream synthesizer, 23 a resolution converter, 24 a variable speed regenerator, 25 a time-division moving image analyzer, 10 26 a cut point time-division moving image analyzer, 27 a time-division multiple moving image analyzer, 30 a retrieved moving image recorder, 31 a moving image storage section, 40 a retrieval terminal, 41 an operation section, 42 a retrieval controller, 43 a retrieval display, 50 a video material recorder, 15 and 60 a monitor.

<Best Mode for Carrying Out the Invention>

Embodiments of the invention will be described referring to Figs. 1 through 10. Note that the invention is not restricted to these embodiments but may be implemented in a variety of aspects that fall within the scope and spirit of the invention. Terms used herein includes a picture/moving picture and an image/moving image. In the case of MPEG for example, a picture/moving picture refers to a video stream that is a group of frames (separate 20 moving images) while an image/moving image refers to each of 25

the frames that constitutes a video stream.

(First embodiment)

As shown in Fig. 1, video retrieval apparatus according to the first embodiment comprises a registration section 11 for performing registration of video materials, a moving image storage section 31 for storing registered moving images onto a disk, a videomaterial recorder 50 for storing registered video materials onto tapes, a monitor 60 for displaying tape images, an operation section 41 for the retriever to operate, a retrieval display 43 for displaying retrieved images, a retrieval controller 42 for instructing retrieval of pictures based on an input from the operation section 41, a keyword search section 21 for retrieving thumbnail images via keywords, a time-division moving image analyzer 25 for dividing a video stream in the direction of a time axis, a variable speed regenerator 24 for reading stored moving image data at a variable speed, a resolution converter 23 for converting the resolution of moving image data to generate thumbnail moving images, and a stream synthesizer 22 for synthesizing thumbnail images generated via resolution conversion to generate stream data.

In this apparatus, the registration section 11 sends the picture of a video material to the moving image storage section 31 when it stores the videomaterial in the videomaterial recorder 50. The moving image storage section 31 analyzes the scenes of this picture and appends a tag at the beginning of each scenes

and encodes the scenes via compression encoding then stores the resulting data onto a disk together with keyword search data. The pictures are not reduced to thumbnail images but stored in the moving image storage section 31.

5 When the retriever enters a keyword from the operation section 41, the retrieval controller 42 instructs the keyword search section 21 to perform keyword search. The variable speed regenerator 24 reads moving images retrieved by the keyword search section 21 from the moving image storage section.

10 In this practice, the variable speed regenerator 24 reads a predetermined number of frames from the beginning of each scene of respective moving image streams retrieved and outputs a digest moving image stream, as shown in Fig. 6.

15 The resolution converter converts the resolution of the digest moving image output from the variable speed regenerator 24 and outputs the image in thumbnail image data. The stream synthesizer 22 synthesizes the digest moving images of a plurality of retrieved pictures into moving image list stream data and outputs the resulting data to the retrieval display
20 43.

 Thus, a 64-window digest moving image is displayed on the retrieval display 43, as shown in Fig. 5. In this practice, when the retriever selects N windows, N being a natural number equal to or greater than 2, on the operation section 41, the
25 retrieval controller 42 instructs the resolution converter 23

to display the thumbnail moving images corresponding to the specified number of windows.

When the number of the pictures retrieved in keyword search exceeds 64 or specified number of windows, selecting the next
5 page displays the remaining windows.

Displaying a moving image list via digest images allows regeneration in a short time.

When the retriever selects a picture from this moving image list, the retrieval controller 42 instructs the time-division
10 moving image analyzer 25 to regenerate the time-division moving image of the picture.

As shown in Fig. 2(a), the time-division moving image analyzer 25 divides its video stream in N equal parts in the direction of the time axis. The variable speed regenerator 24
15 sequentially reads the image data in the direction of the time axis from each of the positions divided in N equal parts by the time-division moving image analyzer 25. The data read by the variable speed regenerator 24 is reduced to thumbnail images by the resolution converter 23, synthesized by the stream
20 synthesizer 22 and displayed on the retrieval display 43.

Fig. 7 shows an example of the time-division moving image where data regeneration simultaneously starts from different positions on the time axis of a single image and the plurality of images are displayed while displayed on a single screen. As
25 shown in Fig. 2(a), when data regeneration is complete as far

as the end point of each equally divided regeneration section,
data regeneration is repeated from the beginning of each
regeneration section.

By employing such a regeneration method, the retriever
5 can watch the contents of a picture in the time one Nth of the
regeneration time assumed when a single picture is successively
regenerated from the beginning to the end of a single picture,
thus finding a desired picture position in a short time.

When the retrieve selects another regeneration section
10 from the time-division moving images, the time-division moving
image analyzer and the variable speed regenerator 24 operates
the same way and as a result the regeneration section is further
divided in N equal parts.

In this way, by repeating division on the time axis and
15 narrowing the regeneration section, it is possible to quickly
find the target scene.

Re-dividing the regeneration section to the ultimate level
renders the regeneration section a single frame as shown in Fig.
2(c), which is the same as a still picture.

20 As shown in Fig. 2(b), it is possible to shift the data
regeneration start point equidistantly on the time axis,
endlessly regenerate data from each regeneration start point,
and display the images arranged on a single screen. In this
case, regenerating each image a normal regeneration speed allows
25 future image portions from other images. This provides the same

effects as high-speed regeneration.

The retriever can operate the operation section 41 to vary the data read speed from the moving image storage section 31 via the variable speed regenerator 24.

5 The retriever, when wishing to perform more detailed video regeneration, displays the screen used to operate the variable speed regenerator 24 on the retrieval display 43. When the retriever varies the regeneration speed on this screen, the corresponding signal is sent from the retrieval controller 42
10 to the variable speed regenerator 24 thus varying the regeneration speed.

In this way, according to this video retrieval apparatus, it is possible to assure retrieval of the target scene via display of a digest moving image list, time-division moving image
15 regeneration, and narrowing of variable speed regeneration using three-stage browsing preview.

It is also possible to retrieve a target scene in a short time by digesting moving images to be listed and performing time-division moving image regeneration.

20 Configuration of the video retrieval apparatus and the video retrieval method can be modified as required depending on the situation.

In case the number of stored pictures is small, moving image listing may be directly executed without performing keyword
25 search.

A non-digested moving image may be displayed in displaying a moving image list.

While this embodiment assumes a configuration where moving images for retrieval are stored in the moving image storage section 31 without being reduced and turned into thumbnail images in real time before retrieval of moving images, moving images for retrieval that have been reduced to thumbnail images may be stored and time-division moving image regeneration and variable speed regeneration may be introduced before retrieval of images, as in related art apparatus.

(Second embodiment)

Video retrieval apparatus according to the second embodiment performs time-division of a picture before displaying the picture by scene in time-division moving image regeneration.

The apparatus comprises a cut point time-division moving image analyzer 26 for setting each start point of a scene to a regeneration start point as a cut point time-division moving image analyzer, as shown in Fig. 3. The other configuration is the same as the first embodiment in Fig. 1.

In this apparatus, when the retriever selects any of the pictures displayed in the moving image list and regeneration of the picture is instructed from the retrieval controller 42 to the cut point time-division moving image analyzer 26, the cut point time-division moving image analyzer 26 sets the position of a tag appended per scene of the video stream to a

regeneration start point as shown in Fig. 2(d). The variable speed regenerator 24 sequentially reads image data in parallel in the direction of the time axis from each point set by the cut point time-division moving image analyzer 26. The data read
5 by the variable speed regenerator 24 is reduced to thumbnail data by the resolution converter 23, synthesized by the stream synthesizer 22 and displayed on the retrieval display 43.

As shown in Fig. 2(d), when regeneration is complete up to the end point of the regeneration section per scene, regeneration is repeated beginning with the start point of each
10 scene. Time length of each regeneration section differs from scene to scene. Regeneration of each scene is made in real time so that the number of repetitions of each scene is larger for a short scene and smaller for a long scene.

15 This video retrieval apparatus regenerates time-division moving images in parallel per scene contained in a video stream, so that the retriever can properly retrieve a target scene by watching the time-division image.

(Third embodiment)

20 Video retrieval apparatus according to the third embodiment displays time-division moving images of a plurality of pictures on a single screen.

As shown in Fig. 4, the apparatus comprises a time-division multiple moving image analyzer 27 for dividing a plurality of
25 video streams in equidistantly in the direction of the time axis

to set the start point of time-division regeneration as a time-division moving image analyzer. The other configuration is the same as the first embodiment in Fig. 1.

In this apparatus, when the retriever selects a plurality
5 of pictures from among the pictures displayed in the moving image list, the retrieval controller 42 instructs the time-division multiple moving image analyzer 27 to regenerate time-division moving images of these pictures.

The time-division multiple moving image analyzer 27 sets
10 the positions of the specified plurality of video streams per certain time to regeneration start points. The variable speed regenerator 24 sequentially reads image data in parallel in the direction of the time axis from each point set by the time-division multiple moving image analyzer 27. The data read by the variable
15 speed regenerator 24 is reduced to thumbnail images by the resolution converter 23, synthesized by the stream synthesizer 22 and displayed on the retrieval display 43.

Fig. 8 illustrates the screen of the retrieval display
43 for displaying the time-division images of a plurality of
20 pictures. Pictures differ from column to column and each picture is displayed in four time-division images.

The retriever can watch a plurality of pictures in comparison with each other from the plurality of time-division images. The retriever thus can determine which picture is the
25 most proper as a picture used for example in the predetermined

time frame of a program.

As an application example of the plurality of time-division images, it is possible to, as shown in Fig. 9, display pictures from a plurality of broadcast stations and display the time-based transition of the audience rating of each broadcasting station in a window so that analysis on what scenes correspond to high audience ratings.

As understood from the foregoing description, the video retrieval apparatus according to the invention allows retrieval of pictures by using narrowing of pictures via display of a moving image list, time-division moving image regeneration and three-stage video display of variable speed regeneration. Thus the retriever can properly find a target scene. In the time-division moving image regeneration, it is possible to display the contents of a single video stream in a short time thus allowing efficient retrieval of scenes.

In the multiple time-division moving image regeneration, it is possible to compare the time-based transition of a plurality of pictures.

The video retrieval method according to the invention selects and displays retrieval pictures as well as analyzes the pictures and displays the pictures in processed form in order to efficiently find a target scene, thereby allowing efficient retrieval of pictures.

<Industrial Applicability>

While the video retrieval apparatus of the invention has been described in terms of creation of a program in each embodiment, the invention may be used for other video retrieval applications. For example, it is possible to use the invention for retrieval
5 of display pictures stored in a museum, retrieval of a large number of video pictures recorded at homes and pictures shot using a video camera, or detection of a target scene among the pictures from each monitoring camera installed in a monitoring system.

Claims

1. Video retrieval apparatus comprising:

image list synthesis-display means for displaying a list
of a plurality of stored encoded pictures in synthesized form
5 on a single screen;

picture selection means for selecting an arbitrary image
from a listed image group in order to select the encoded picture
containing said image; and

picture division-synthesis-display means for dividing
10 the selected encoded picture on a time axis and repeatedly
synthesizing and displaying each divided picture from the start
to the end on a single screen in order to perform simultaneous
division and regeneration of the encoded picture.

15 2. Video retrieval apparatus comprising:

image list synthesis-display means for displaying a list
of a plurality of stored encoded pictures in synthesized form
on a single screen;

picture selection means for selecting an arbitrary image
20 from a listed image group in order to select the encoded picture
containing said image; and

picture division-synthesis-display means for selecting
several times from the time axis of the selected encoded picture
and synthesizing and regenerating respective pictures having
25 said several times as regeneration start times from the start

on a single screen in order to perform simultaneous division and regeneration of the encoded picture.

3. Video retrieval apparatus comprising:

5 image list synthesis-display means for displaying a list of a plurality of stored encoded pictures in synthesized form on a single screen;

10 picture selection means for selecting an arbitrary image from a listed image group in order to select the encoded picture containing said image; and

15 picture division-synthesis-display means for detecting the scene switching points of the selected encoded picture and dividing the encoded picture based on the detected scene switching points and repeatedly synthesizing and displaying each divided picture from the start to the end on a single screen in order to perform simultaneous division and regeneration of encoded pictures.

20 4. Video retrieval apparatus according to any of the preceding claims, wherein the picture division synthesis display means further divides the pictures selected from a picture group displayed in synthesized form and performs simultaneous division and regeneration of the resulting pictures on a single screen.

25 5. Video retrieval apparatus according to any of the

preceding claims, wherein the picture divisionsynthesisdisplay
means performs simultaneous division and regeneration of a
plurality of divided encoded pictures on a single screen, said
plurality of divided encoded pictures selected via the video
5 selection means.

Abstract

The invention provides video retrieval apparatus that allows efficient retrieval of moving images. Video retrieval apparatus for retrieving a target scene from a plurality of
5 pictures comprises moving picture list display means for displaying a list of a plurality of pictures and time-division image display means for displaying the time-division moving image of a picture selected from among the listed pictures. The apparatus displays a list of a plurality of pictures and displays
10 the time-division moving image of a picture selected from among the listed pictures. The video retrieval apparatus selects and displays retrieval pictures as well as analyzes the pictures and displays the pictures in processed form in order to efficiently find a target scene, thereby allowing efficient
15 retrieval of pictures.

VIDEO MATER



VIDEO STREAM TIME-DIVISION REGENERATION SYSTEM (a), (b), (c), (d)




FIG. 2

FIG.3





FIG.4



Patent Application No. 2000-000000

FIG.5

EXAMPLE OF A MOVING IMAGE LIST SCREEN (64 WINDOWS)




FIG.6

DIGEST MOVING IMAGE LIST REGENERATION SCREEN





FIG.7

EXAMPLE OF A TIME-DIVISION MOVING IMAGE SCREEN (16 WINDOWS)

FIG.8

EXAMPLE OF A MULTIPLE TIME-DIVISION IMAGE SCREEN
(4-PROGRAM, 4-HOUR DIVISION)




FIG.9

◆ COMPARISON OF AUDIENCE RATING BETWEEN PROGRAMS BROADCAST AT THE IDENTICAL TIME




FIG.11






FIG.12





**DECLARATION AND POWER OF ATTORNEY
FOR UTILITY OR DESIGN PATENT APPLICATION**

☐ Submitted with Initial Filing

☒ Submitted after Initial Filing
(Surcharge (37 CFR 1.16(e)) required)

Attorney Docket No.: 33805

Application Number: 09/889,258

First Named Inventor: Hitoshi Yashio

Filing Date: July 13, 2001

Group Art Unit: _____

Examiner Name: _____

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

VIDEO RETRIEVAL METHOD AND VIDEO RETRIEVAL APPARATUS

the specification of which (check only one item below)

☐ is attached hereto,

OR

☒ was filed on November 14, 2000 as United States Application Number or PCT International Application Number PCT/JP00/08027 and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d), or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, any foreign application for patent or inventor's certificate, or any PCT international application having a filing date before that of the application on which priority is claimed.

<u>Country</u>	<u>Prior Foreign Application Number(s)</u>	<u>Foreign Filing Date (MM/DD/YYYY)</u>	<u>Priority Claimed?</u>
Japan	P. Hei. 11-324437	November/15/1999	Yes

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

<u>Provisional Application Number(s)</u>	<u>Filing Date (MM/DD/YYYY)</u>
--	-------------------------------------

I hereby claim the benefit under 35 U.S.C. 120, of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

<u>U.S. Parent Application or PCT Parent Number</u>	<u>Parent Filing Date (MM/DD/YYYY)</u>	<u>Parent Patent Number (if applicable)</u>
---	--	---

As a named inventor, I hereby appoint each of the following as my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Charles B. Gordon, Reg. No. 16923
Richard H. Dickinson, Jr., Reg. No. 18622
Thomas P. Schiller, Reg. No. 20677
David B. Deioma, Reg. No. 22841
Joseph J. Corso, Reg. No. 25845
Howard G. Shimola, Reg. No. 26232

Jeffrey J. Sopko, Reg. No. 27676
John P. Murtaugh, Reg. No. 34226
James M. Moore, Reg. No. 32923
David E. Spaw, Reg. No. 34732
Michael W. Garvey, Reg. No. 35878
Aaron A. Fishman, Reg. No. 44682

Address all correspondence to Customer Number 116.

Please direct all correspondence and inquiries to David E. Spaw at (216) 579-1700.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(1) Inventor Name (sole or joint): Hitoshi YASHIO

Signature: Hitoshi Yashio

Date: September 7, 2001

Citizenship: Japan

Residence (City, State, Country): Sumida-ku, Tokyo, Japan

Post Office Address: 10-6-701, Chitose 3-chome, Sumida-ku,
Tokyo 130-0025 Japan

(2) Inventor Name (joint): Mitsuo TAMURA

Signature: Mitsuo Tamura

Date: September 7, 2001

Citizenship: Japan

Residence (City, State, Country): Katsushika-ku, Tokyo, Japan

Post Office Address: 36-4, Higashikanamachi 5-chome,
Katsushika-ku, Tokyo 125-0041 Japan

3-10 (3) Inventor Name (joint): Kayoko ASAI

Signature: Kayoko Asai

Date: September 7, 2001

Citizenship: Japan

Residence (City, State, Country): Katsushika-ku, Tokyo, Japan Jpf

Post Office Address: 49-15-206, Takasago 5-chome, Katsushika-ku,
Tokyo 125-0054 Japan

4-10 (4) Inventor Name (joint): Makoto SATO

Signature: Makoto Sato

Date: September 7, 2001

Citizenship: Japan

Residence (City, State, Country): Funabashi-shi, Chiba, Japan Jpf

Post Office Address: 15-3-406, Honcho 6-chome, Funabashi-shi,
Chiba 273-0005 Japan

5-10 (5) Inventor Name (joint): Yoshihiro HAYAKAWA

Signature: Yoshihiro Hayakawa

Date: September 7, 2001

Citizenship: Japan

Residence (City, State, Country): Yokohama-shi, Kanagawa, Japan Jpf

Post Office Address: 109-1-312, Zenbucho, Asahi-ku, Yokohama-shi,
Kanagawa 241-0823 Japan

(6) Inventor Name (joint):

Signature: _____


Date: _____

Citizenship: _____

Residence (City, State, Country): _____

Post Office Address: _____

United States Patent & Trademark Office
Office of Initial Patent Examination – Scanning Division



Application deficiencies found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ *Scanned copy is best available.* Drawing are very dark.